



## MONITORING SYSTEMS AI110 Analogue Input Monitor



**For on-site and remote monitoring  
of 4-20 mA inputs.**



- Networked product
- Alarms on high and/or low values
- Suitable for monitoring third party products
- Values can be scaled linearly
- Datalogging at board level
- Up to 4 individual input titles
- Set up parameters maintained for restart

### Product Data

#### Input Monitoring

The AI110 monitors/alarms up to 4-20 mA inputs. Individual titles can be selected for each channel and the channel readings can be scaled linearly to any value.

#### Alarms

The AI110 will monitor and alarm on high and/or low values. Alarm parameters and delay periods are configurable on site or remotely.

#### Datalogging

Provides comprehensive alarm reporting and datalogging when connected to a JTL network.

#### Remote Access

Alarm parameters and alarm settings can be viewed and adjusted remotely via the JTL network.



## Hardware

Analogue inputs .....	4
Input impedance .....	250 ohm
Input isolation .....	none
Input type .....	4-20 mA
Datalogging memory capacity .....	800 points on 4 channels

Note:  
Source voltage for the 4-20 mA current inputs  
must be provided external to the AI110 monitor unit.

## Technical Specification

Analogue input 1 .....	Channel 1
Analogue input 2 .....	Channel 2
Analogue input 3 .....	Channel 3
Analogue input 4 .....	Channel 4

Communications port .....	RS485 2 wire
Communications data rate .....	4800/38400 baud (auto detected)
Communications protocol .....	JTL Jnet zone protocol

Unit dimensions boxed (L x W x H) .....	247 x 98 x 51 mm
Unit weightboxed .....	0.95 kg

Power supply (standard).....	230 V 48-62 Hz
(optional).....	110 V

## Ordering Information

AI110..... Complete unit boxed

### Power Supply Options:

For 110 V append-110 to order code



This unit conforms with the relevant EU standards when fitted in accordance with its installation instructions.

Doc No. 01983 AI110.pmd Issue 5 Aug 2004

### JTL Systems Limited

<b>Head Office</b>	Newbury	<b>tel:</b> 44 (0)1635 263646
<b>Technical Support Centre</b>	Newbury	<b>tel:</b> 44 (0) 870 321 8585
<b>Monitoring Centre</b>	Sunderland	<b>tel:</b> 44 (0)870 321 4161